

Download Junghans MEGA App



B2B portal



If you have any queries
please contact:


Uhrenfabrik Junghans GmbH & Co. KG
Marketing
Geißhaldenstr. 49
78713 Schramberg

Phone: +49 7422 18-100
info@junghans.de

www.junghans.de



42.745-3108/0223



View E-Magazine



Product Guide 2023/2024

Content

Stay in touch and always up to date	p. 1
Mechanical movements	p. 2
Junghans-own movements / RC and Quartz movements	p. 3
Junghans folding clasps	p. 4
1972 Competition	p. 6
1972 Chronoscope Solar	p. 8
1972 Competition FIS Edition Lemon 1972 Chronoscope Quarz Edition FIS Lemon	p. 9
Meister S Chronoscope	p. 10
Meister Pilot Chronoscope	p. 12
Meister Pilot Automatic	p. 14
Meister Telemeter	p. 15
Meister Driver Chronoscope	p. 16
Meister Handaufzug Terrassenbau Meister Classic Terrassenbau	p. 17
Meister fein	p. 18
Meister fein Automatic Edition Erhard	p. 19
Meister fein Automatic Signatur	p. 20
Meister fein Chronoscope MEGA Solar	p. 21
Meister fein Automatic	p. 22
Meister fein Kleine Automatic	p. 24
Meister	p. 25
Meister Chronoscope	p. 26
Meister Worldtimer	p. 27
Meister Agenda	p. 28
Meister Classic	p. 29
Meister MEGA	p. 30
Meister MEGA Kleine Sekunde	p. 31
Meister Handaufzug	p. 32
Meister Automatic	p. 33
Meister Damen Automatic	p. 34
FORM	p. 35
FORM A Titan	p. 36
FORM A	p. 37
FORM MEGA	p. 38
FORM C	p. 39
FORM Quarz	p. 40
FORM Damen	p. 41
Junghans max bill	p. 42
max bill Chronoscope Bauhaus max bill Automatic Bauhaus	p. 43
max bill Handaufzug	p. 44
max bill Automatic	p. 45
max bill MEGA Solar	p. 46
max bill Edition 60	p. 48
max bill Kleine Automatic	p. 49
max bill Chronoscope	p. 50
max bill Quarz	p. 51
max bill Damen	p. 52
max bill Tischuhr (table clock)	p. 53
max bill Wanduhr (wall clock)	p. 54
Force	p. 55
Force Mega Solar	p. 56
Spektrum Mega Solar	p. 57
Milano Mega Solar	p. 58
Milano Solar	p. 59

For reasons of better representation the watches are shown partly enlarged or reduced in size. Prior sale and delivery possibilities, model and collection changes, technical changes are subject to alterations and errors.

Stay in touch and always up to date

B2B Portal

<https://www.junghans.de/business/en>

The B2B online platform offers easy handling and numerous advantages for fast and uncomplicated order processing – 24/7.



Online Service-Portal

<https://www.junghans.de/en/ServicePortal>

The online service portal offers fast and uncomplicated service and warranty processing. The status and history can be accessed online at any time.



Partnerportal

<https://partnerportal.junghans.de>

Download images, moods, product database, press releases, clippings and much more.

You can obtain your access data from the Junghans marketing department.



E-Magazine

<https://junghans-magazine.com/>

The Junghans e-magazine is more than a catalog: the Junghans world can be experienced digitally in a lively and emotional way.



Junghans MEGA App



The world of Junghans – compact in one app.

Experience the Junghans brand in a new form, discover emotional stories, current watches and insides from Junghans.



Newsletter

Regular Junghans news via email.

Sign up via the Junghans website to ensure that you don't miss any news!



Junghans Archive

<https://junghansarchiv.de/en/>

Junghans has produced over 500 million watches since its founding in 1861. Research on historical models can be done via the Digital Junghans Archive.



Mechanical movements

Model	Junghans movement	Basic movement	Switching phase
1972 Competition 1972 Competition FIS Editon Lemon	J880.5	SW510	Avoid manual switching of date/day between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism.
FORM A FORM A Titan	J800.2	Sellita SW200-1	Avoid manual switching of date/day between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism.
max bill Automatic mit und ohne Date	J800.1	Sellita SW200-1	Avoid manual switching of date/day between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism.
max bill Chronoscope	J880.2	Sellita SW500	
max bill Handaufzug	J805.1	Sellita SW210	
max bill Kleine Automatic	J800.1	Sellita SW200-1	Avoid manual switching of date/day between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism.
max bill Regulator Edition 60	J800.5	Sellita SW266	
Meister Agenda	J810.5	ETA 2892-2, layout Soprod 9075	Avoid manual date setting between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism. No correction of the calendar week possible with „SON“ to protect mechanism.
Meister Automatic	J800.1	Sellita SW200-1	Avoid manual switching of date/day between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism.
Meister Chronoscope	J880.1	Sellita SW500	
Meister S Chronoscope	J880.1	Sellita SW500	
Meister Classic	J820.4	ETA 2892-2 Sellita SW300-1	
Meister Damen Automatic	J840.1	ETA 2671 Sellita SW100	
Meister Driver Chronoscope	J880.3	ETA 2892-2, layout Dubois Depraz 2030	
Meister fein Automatic	J800.1	Sellita SW200-1	Avoid manual switching of date/day between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism.
Meister fein Automatic Edition Erhard	J800.1	Sellita SW200-1 mit with Junghans-own rotor	
Meister fein Automatic Signatur	J800.1	Sellita SW200-1 mit with Junghans-own rotor	
Meister fein Kleine Automatic	J800.1	Sellita SW200-1	
Meister Handaufzug	J815.1	ETA 7001 Peseux	
Meister Pilot Chronoscope	J880.4	ETA 2824-2, layout Dubois Depraz 2030	
Meister Pilot Automatic	J800.1.6	Sellita SW261	Avoid manual switching of date/day between 8:00 pm and 2:00 am as this may damage the intermediate wheel mechanism.
Meister Telemeter	J880.3	ETA 2892-2, layout Dubois Depraz 2030	
Meister Wordltimer	820.5	Sellita SW330-2	

Junghans-own movements

Model	Junghans movement	Description
Force Mega Solar	J615.84	Junghans multi-frequency RC movement
FORM MEGA	J101.65	Junghans Connected RC movement
max bill MEGA Solar	J101.85	Junghans Connected RC solar movement
Meister fein Chronoscope MEGA Solar	J110	Junghans Connected RC solar movement
Meister MEGA	J101.65	Junghans Connected RC movement
Meister MEGA Kleine Sekunde	J101.66	Junghans Connected RC movement
Milano Mega Solar	J615.84	Junghans multi-frequency RC solar movement
Milano Solar	J622.10	Junghans quartz solar movement
Spektrum Mega Solar	J615.84	Junghans multi-frequency RC solar movement

RC and Quartz movements

Model	Junghans movement	Basic calibre
1972 Chronoscope Edition FIS Lemon	J645.83	Quartz movement Seiko Instrument VK63A
1972 Chronoscope Solar	J622.50	Quartz solar movement Seiko Epson VS72A
FORM Damen	J645.36	Quartz movement Ronda 705 swiss made
FORM C	J645.85	Quartz movement Ronda 3520.D swiss made
FORM Quarz	J645.37	Quartz movement Ronda 6003.D swiss made
max bill Damen	J643.29	Quartz movement ETA 955.412 swiss made
max bill Quarz	J645.33	Quartz movement ETA 955.112 swiss made
max bill Tisch-/Wanduhr (table / wall clock) RC	J780	RC movement 8800.002
max bill Tisch-/Wanduhr (table / wall clock) Quartz	J738	Quartz movement 838.01.0000

Junghans folding clasps

It is not only the case and strap that contribute to the comfort and appearance of a watch.
A matching clasp can also improve comfort and gives a secure fit on the wrist.
Please take note of the strap progression to the buckle.



Junghans folding clasps



Folding clasp
Ref.: 425550099
Butterfly clasp with pusher,
strap passage up to 2.2 mm,
strap progression to 18 mm,
polished stainless steel



Folding clasp
Ref.: 425550227
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 18 mm,
polished stainless steel



Folding clasp
Ref.: 425550165
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 18 mm,
stainless steel rosé gold coloured,
polished PVD-coated



Folding clasp
Ref.: 425550125
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 18 mm,
stainless steel PVD-coated,
black matt



Folding clasp
Ref.: 425550116
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression on 18 mm,
stainless steel PVD-coated,
black polished



Folding clasp
Ref.: 425550228
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 18 mm,
stainless steel gold coloured polished
PVD-coated



Folding clasp
Ref.: 425550166
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 18 mm,
polished stainless steel



Folding clasp
Ref.: 425550229
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 16 mm,
polished stainless steel



Folding clasp
Ref.: 425550231
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 16 mm,
stainless steel PVD-coated,
black matt



Folding clasp
Ref.: 425550232
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 15 mm,
polished stainless steel



Folding clasp
Ref.: 425550234
Butterfly clasp with pusher,
strap passage up to 2.7 mm,
strap progression to 15 mm,
stainless steel PVD-coated,
polished sand gold coloured



Folding clasp
Ref.: 425550209
2-folding clasp with pusher,
strap passage up to 3.5 mm,
strap progression to 18 mm,
stainless steel PVD-coated,
black matt

Like model 425550209
but in polished/sanded stainless steel

Folding clasp
Ref.: 425550235
2-folding clasp with pusher,
strap passage up to 3.5 mm,
strap progression to 18 mm,
polished/sanded stainless steel

Like model 425550209
but in sanded stainless

Folding clasp
Ref.: 425550238
2-folding clasp with pusher,
strap passage up to 3.5 mm,
strap progression to 18 mm,
sanded stainless steel

1972 Competition



27/4203.00
 Strap: Standard 420506912
 XS 420506938*
 XL 420506913
 Folding clasp: 425550238
 *equipped with pin buckle
Limited to: 1,972 watches

Technology	Self-winding movement calibre J880.5, power reserve of 48 hours (without chronoscope function) Basic calibre SW510
Function	Date, small second (6-o'clock-position), stop second, 30-minute-counter (12-o'clock-position)
Case	Oval stainless steel case 4-times screwed stainless steel case back with edition engraving, screwed crown Dimension 9 – 3 o'clock: 45.5 mm, Dimension 12 – 6 o'clock: 41.0 mm, height 14.5
Water-resistance	Up to 10 bar
Dial	Anthracite with sunray brush, sub dials in orange Tachymeter scale in orange Minute track with environmentally friendly luminous substance
Hands	Hour- and minute hands with environmentally friendly luminous substance in white Stop second hand with orange tip
Glass	Flat sapphire crystal with anti-reflection coating on both sides
Strap	Lug: Special lug Black leather strap with orange lining leather and perforation, strap with stainless steel inlay, double bolted Stainless steel folding clasp max. inner circumference: 19.5 cm
Weight	127 g

1972 Competition
27/4203.00



1972 Chronoscope Solar



14/4200.00
Strap: 420506176

Technology	Solar quartz movement J622.50 Basic calibre Seiko Epson VS72A
Function	Tachymeter scale, 1/5 stop second, date, alarm, small second
Case	Stainless steel, one-direction turning bezel, screwed case back with engraving, key lock for alarm, Ø 43.3 mm, height 11.6 mm
Water-resistance	Up to 10 bar
Dial	Anthracite transparent with sunray brush Sub dials made of mother-of-pearl in orange or white Minute track with environmentally friendly luminous substance
Hands	With environmentally friendly luminous substance
Glass	Flat sapphire crystal with anti-reflection coating on one side
Strap	Lug 23 mm Leather strap with cut-outs and stainless steel buckle Stainless steel bracelet with folding clasp max. inner circumference leather strap: 18.8 cm max. inner circumference metal bracelet: 20.5 cm
Weight	Leather strap model: 83 g Metal bracelet model: 176 g



14/4202.44
Bracelet: 420506177*
First link: 420506178



Back

User manual



*without first link

1972 Competition FIS Edition Lemon



27/4305.00
Strap: Standard 420506982
XS 420506984*
XL 420506983
Folding clasp: 425550238

*equipped with pin buckle
Limited to: 150 watches

Technology	Self-winding movement calibre J880.5, power reserve of 48 hours (without chronoscope function) Basic calibre SW510
Function	Date, small second (6-o'clock-position), stop second, 30-minute counter (12-o'clock-position)
Case	Oval stainless steel case, 4-times screwed stainless steel case back with edition engraving, screwed crown Dimension 9 – 3 o'clock: 45.5 mm, Dimension 12 – 6 o'clock: 41.0 mm, height 14.5
Water-resistance	Up to 10 bar
Dial	Lemon, sub dials in black Tachymeter scale in black Minute track with environmentally friendly luminous substance
Hands	Hour- and minute hands with environmentally friendly luminous substance in white Stop second hand with lemon tip
Glass	Flat sapphire crystal with anti-reflection coating on both sides
Strap	Lug: Special lug Leather strap in lemon with black lining leather and perforation, stainless steel inlay, double bolted Stainless steel folding clasp max. inner circumference: 19.5 cm
Weight	127 g

User manual



1972 Chronoscope Quartz Edition FIS Lemon



41/4369.00
Strap:
lemon: 420506980*
black: 420506981*
Pin buckle: 425550132

*equipped with pin buckle
Limited to: 150 watches

Technology	Quartz movement J645.83 Basic calibre Seiko Instruments VK63A
Function	1/5 stop second, 24-hour display, date
Case	Stainless steel, one-direction turning bezel, screwed case back with edition engraving Ø 43.3 mm, height 11.3 mm
Water-resistance	Up to 10 bar
Dial	Lemon, sub dials in black, minute track with environmentally friendly luminous substance
Hands	Hour- und minute hands with environmentally friendly luminous substance in white Sub dial hands in lemon
Glass	Flat sapphire crystal with anti-reflection coating on one side
Strap	Lug 23 mm Leather strap in lemon with three cut-outs and black lining leather, stainless steel buckle Additional leather strap in black with three cut-outs and lining leather in lemon Both straps with Quick Release max. inner circumference: 18.8 cm
Weight	83 g

User manual





Meister S Chronoscope
27/4227.00

Meister S Chronoscope



27/4228.44 · *27/4228.45
Bracelet: 420506755

Technology	Self-winding movement calibre J880.1, power reserve of 48 hours (without chronoscope function) Basic calibre SW 500
Function	Stop function, 30-minute- and 12-hour counter, date, week day*, small second Model 27/4024.44 with tachymeter scale
Case	Stainless steel, 7-times screwed stainless steel case back with Junghans star motif, screwed crown Ø 45.0 mm, height 15.9 mm
Water-resistance	Up to 20 bar
Dial	Dark blue/black with effect lacquer Green/black with effect lacquer Anthracite matt, indices with environmentally friendly luminous substance in white
Hands	With environmentally friendly luminous substance in white Counterweight of the hands with environmentally friendly luminous substance in white
Glass	Convex sapphire crystal with anti-reflection coating on both sides
Strap	Lug 22 mm Stainless steel bracelet with folding clasp with safety clip and fine adjustment mechanism Synthetic rubber strap with leather inlay and stainless steel folding clasp max. inner circumference rubber strap: 19.0 cm max. inner circumference metal bracelet: 21.0 cm
Weight	Rubber strap model:: 113 g Metal bracelet model: 188 g



27/4023.44 · *27/4023.45
Bracelet: 420506755



27/4024.44 · *27/4024.45
Bracelet: 420506756



27/4227.00 · * 27/4227.01
Strap: 420506900
Folding clasp: 425550235
Pin buckle: 425550237




User manual

Fine adjustment

The **fine adjustment mechanism** allows you to regulate the bracelet length slightly. This is particularly useful when undertaking sporting activities, for example. Simply press button A with the Junghans pin provided whilst pulling out the bracelet. This will extend the bracelet by approx. 2.5 mm. To return the bracelet to its original length, press button A again with the Junghans pin and simultaneously push the extension element back again.


The metal bracelet on your Junghans watch features a safety clip and a fine adjustment mechanism. First remove all protective foils for the functionality of the clasp.

The **safety clip** prevents the unintentional opening of the folding clasp. To undo the metal bracelet, the safety clip must be opened first in order to release the catch. When closing the metal bracelet, press both end links together using the folding clasp with the safety clip open. Once the end links have engaged, the metal bracelet is locked finally with the safety clip.



*also available with English weekday display

Junghans folding clasp with safety clip



1. Pusher for opening the folding clasp
2. Press both end links into the clasp one after the other. Then close the safety clip.
3. With safety clip secured clasp



Meister Pilot Chronoscope
27/3591.00

Meister Pilot Chronoscope



Meister Pilot Chronoscope
Navy Blue
27/3396.00
Strap: Standard 420506963
XS 420506965
XL 420506964

Limited to: 300 watches

Technology	Self-winding movement calibre J880.4, power reserve of 38 hours (without chronoscope function) Basic calibre ETA 2824-2, layout Dubois Depraz 2030
Function	Stop function, 30-minute counter, small second
Case	Stainless steel or DLC-coated (Diamond-Like-Carbon) deep black or brown-black, 7-times screwed stainless steel case back with wind rosé engraving, Model 27/3396.00 with „nose art“ engraving Model 27/3398.00 with „Aviation“ engraving Ø 43.3 mm, height 14.4 mm, bidirectional rotating bezel
Water-resistance	Up to 10 bar
Dial	Navy blue effect lacquer Sand coloured effect lacquer Brown-grey effect lacquer Black matt Dial printing with environmentally friendly luminous substance
Hands	With environmentally friendly luminous substance
Glass	Convex sapphire crystal with anti-reflection coating on both sides
Strap	Lug 22 mm Leather strap, some models with riveting, stainless steel buckle or DLC-coated max. inner circumference: 19.5 cm
Weight	92 g



Meister Pilot Chronoscope
Desert
27/3398.00
Strap: Standard 420506988
XS 420506990
XL 420506989



Meister Pilot Chronoscope
27/3794.00
Strap: Standard 420506510
XS 420506512
XL 420506511



Meister Pilot Chronoscope
27/3591.00
Strap: Standard 420506389
XS 420506402
XL 420506401



Meister Pilot Chronoscope
27/3590.00
Strap: Standard 420506388
XS 420506400
XL 420506399



User manual

Meister Pilot Automatic



27/4397.00
 Strap: Standard 420506963
 XS 420506965
 XL 420506964

Technology Self-winding movement calibre J800.1.6, power reserve of 38 hours
 Basic calibre SW261

Function Small second, date

Case Stainless steel, deep-black DLC-coated (Diamond-Like-Carbon), 7-times
 screwed stainless steel case back with „Aviation“ engraving
 Ø 43.3 mm, height 12.5 mm, bidirectional rotating bezel

Water-resistance Up to 10 bar

Dial Navy blue effect lacquer
 Dial printing with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 22 mm
 Leather strap with riveting and stainless steel buckle DLC-coated
 max. inner circumference: 19.5 cm

Meister Telemeter



27/3380.02
 Strap: Standard 420506220
 XS 420506357
 XL 420506356

Technology Self-winding movement calibre J880.3, power reserve of 42 hours
 (without chronoscope function)
 Basic calibre ETA 2892-2, layout Dubois Depraz 2030

Function Stop function, 30-minute counter, telemeter and tachymeter scale,
 small second

Case Stainless steel, 4-times screwed mineral crystal case back
 Ø 40.8 mm, height 12.6 mm

Water-resistance Up to 5 bar

Dial Matt silver plated with sunray brush
 Dial printing with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
 Leather strap with stainless steel buckle
 max. inner circumference: 18.5 cm
 Fitting metal bracelet: 420506219

Weight 64 g

User manual



User manual



Meister Driver Chronoscope



27/3684.02
 Strap: Standard 420506436
 XS 420506438
 XL 420506437

Technology Self-winding movement calibre J880.3, power reserve of 42 hours (without chronoscope function)
 Basic calibre ETA 2892-2, layout Dubois Depraz 2030

Function Stop function, 30-minute counter, small second

Case Stainless steel, 4-times screwed mineral crystal case back
 Ø 40.8 mm, height 12.6 mm

Water-resistance Up to 5 bar

Dial Sand coloured effect lacquer
 Grey effect lacquer
 Dial printing with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
 Leather strap with perforation in the lining leather and stainless steel buckle
 Stainless steel bracelet with folding clasp
 max. inner circumference leather strap: 18.5 cm
 max. inner circumference metal bracelet: 19.8 cm

Weight Leather strap model: 65 g
 Metal bracelet model: 130 g



27/3686.46
 Bracelet: 420506219



User manual

Meister Handaufzug Terrassenbau



27/3000.02
 Strap: Standard 420506745
 XS 420506747
 XL 420506746
 Folding clasp: 425550166

Technology Hand-winding movement calibre J815.1, power reserve of 42 hours
 Basic calibre ETA 7001 Peseux

Function Small second

Case Stainless steel, 5-times screwed case back with partially transparent print of the terrace building
 Ø 37.7 mm, height 7.3 mm

Water-resistance Up to 5 bar

Dial Matt silver plated with outer rim in matt white
 Special feature: Original meander design of the terrace building's wall ornamentation as minute track

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
 Alligator leather strap in green with grey joints, stainless steel folding clasp
 Special feature: The alligator leather strap represents the design of the wall tiles in the terrace building
 max. inner circumference: 19.5 cm

Weight 50 g



Limited to: 1,500 watches



User manual

Meister Classic Terrassenbau



27/4019.02
 Strap: Standard 420506745
 XS 420506747
 XL 420506746
 Folding clasp: 425550166

Technology Self-winding movement calibre J820.4, power reserve of 42 hours
 Basic calibre ETA 2892-2 / SW300-1

Function Date

Case Stainless steel, 5-times screwed case back with partially transparent print of the terrace building
 Ø 38.4 mm, height 9.0 mm

Water-resistance Up to 5 bar

Dial Matt silver plated with outer rim in matt white
 Special feature: Original meander design of the terrace building's wall ornamentation as minute track

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
 Alligator leather strap in green with grey joints, stainless steel folding clasp
 Special feature: The alligator leather strap represents the design of the wall tiles in the terrace building
 max. inner circumference: 20 cm
 Fitting metal bracelet: 420506041

Weight 45 g



Limited to: 1,500 watches



User manual



Meister fein Automatic Signatur
27/4355.00

Meister fein Automatic Edition Erhard



Technology	Self-winding movement calibre J800.1 with Junghans-designed, two-armed rotor with Erhard Junghans portrait as cover over the rotor bearing, power reserve of 38 hours Basic calibre SW200-1
Function	Date
Case	18 carat white gold or 18 carat yellow gold 4-times screwed case back with spherical sapphire crystal, signature of Erhard Junghans printed from the inside Ø 39.5 mm, height 11.0 mm
Water-resistance	Up to 3 bar
Dial	White polished with fine roman numerals Historical Junghans logo
Hands	Fine bar pointers
Glass	Convex sapphire crystal with anti-reflection coating on both sides
Strap	Lug 21 mm Domed and polished leather strap with buckle in 18 carat white- or yellow gold max. inner circumference: 19.5 cm

27/9300.00
*Strap: Standard 420506985
XS 420506987
XL 420506986

Limited to: 200 watches



27/9301.00
*Strap: Standard 420506985
XS 420506987
XL 420506986

Back

Limited to: 200 watches

*Delivery of replacement strap without buckle

User manual



Meister fein Automatic Signatur



Technology Self-winding movement calibre J800.1 with Junghans-designed, two-armed rotor with Junghans star as cover over the rotor bearing, power reserve of 38 hours
Basic calibre SW200-1

Function Date

Case Stainless steel, 4-times screwed case back with spherical sapphire crystal
Ø 39.5 mm, height 11.0 mm

Water-resistance Up to 5 bar

Dial Light grey with circular brush, indices with diamond cut
Historical Junghans logo

Hands Fine bar pointers

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
Domed and polished leather strap with stainless steel buckle
max. inner circumference: 19.5 cm

Weight 48 g

27/4355.00
Strap: Standard 420506957
XS 420506959
XL 420506958



Back

User manual



Meister fein Chronoscope MEGA Solar



Technology Connected RC solar movement J110 with small second
– Highly efficient energy management
– Connected with the Junghans MEGA App (Apple App Store and Google Play Store)
– Adjustment of all time zones to the precise second
– Dark power reserve up to 3 years
– Perpetual calendar – also in quartz mode
– Radio reception in Europe, UK, USA, Japan

Function Date, stop second and 60-minute counter

Case Stainless steel or rosé gold coloured PVD-coated, 4-times screwed case back with soft tinted mineral crystal
Ø 39.5 mm, height 9.5 mm

Water-resistance Up to 5 bar

Dial Domed solar dial in matt white

Hands Fine bar pointers

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
Domed leather strap with stainless steel buckle or PVD-coated
max. inner circumference: 18.7 cm

Weight 55 g

59/4200.00
Strap: Standard 420506957
XS 420506959
XL 420506958



59/7201.00
Strap: Standard 420506960
XS 420506962
XL 420506961



Junghans MEGA App



The Junghans MEGA Solar impresses with its appearance and technical comfort

- High accuracy and energy efficiency
- Sustainable due to very long battery life (up to 15 years)
- Technical features in classic watch design
- The Connected RC solar movement is made in Schramberg, Germany
- Via the app the provider time of the smart phone is transmitted worldwide

The following features make the Junghans MEGA Solar a precise everyday companion:

- Even without radio reception, only +/- 8 seconds time deviation per year
- Accurate to the second and easy time zone setting
- Thanks to the perpetual calendar always shows the exact date even without radio reception
- Energy efficiency – after 3 days of darkness (e.g. drawer) the watch goes into energy saving mode

User manual



Meister fein Automatic



27/4152.00
Strap: Standard 420506857
XS 420506859
XL 420506858

Technology Self-winding movement calibre J800.1, power reserve of 38 hours
Basic calibre SW200-1

Function Date

Case Stainless steel or rosé gold coloured PVD-coated, 4-times screwed mineral crystal case back
Ø 39.5 mm, height 10.3 mm

Water-resistance Up to 5 bar

Dial Matt silver plated (model 27/4152.00)
Silver plated with sunray brush (model 27/4153.00)
Black with sunray brush (model 27/4154.00)
White polishing varnish (model 27/7150.00)

Hands Fine bar pointers

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
Domed leather strap with stainless steel buckle or PVD-coated Milanaise bracelet with safety buckle
max. inner circumference leather strap: 19.5 cm
max. inner circumference Milanaise bracelet: 20.7 cm

Weight Leather strap model: 48 g
Metal bracelet model: 85 g

Meister fein Automatic



27/4356.00
Strap: Standard 420506966
XS 420506968
XL 420506967

Technology Self-winding movement calibre J800.1, power reserve of 38 hours
Basic calibre SW200-1

Function Date

Case Stainless steel
4-times screwed mineral crystal case back
Ø 39.5 mm, height 10.3 mm

Water-resistance Up to 5 bar

Dial With diamonds at 12 o'clock
Arctic blue (model 27/4356.00)
Moss-green (model 27/4357.00)
Blackberry (model 27/4358.00)

Diamond set Colour: G white
Clarity: SI
Cut: Diamond 8/8
Carat: 9 diamonds with 0,0252 carat

Hands Fine bar pointers

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
Domed leather strap with stainless steel buckle
Petrol (model 27/4356.00)
Apple green (model 27/4357.00)
Pink (model 27/4358.00)
Straps with Quick Release
max. inner circumference: 19.5 cm

Weight 48 g



27/4153.44
Bracelet: Standard 420506860



27/4154.00
Strap: Standard 420506861
XS 420506863
XL 420506862



27/7150.00
Strap: Standard 420506897
XS 420506899
XL 420506898



27/4357.00
Strap: Standard 420506969
XS 420506971
XL 420506970



27/4358.00
Strap: Standard 420506972
XS 420506974
XL 420506973

User manual



User manual



Meister fein Kleine Automatic



27/4230.00
Strap: Standard 420506948
XS 420506950
XL 420506949

Technology	Self-winding movement calibre J800.1, power reserve of 38 hours Basic calibre SW200-1
Function	Date
Case	Stainless steel or sand gold coloured PVD-coated, 4-times screwed mineral crystal case back Ø 35.0 mm, height 10.1 mm
Water-resistance	Up to 5 bar
Dial	White matt (model 27/4230.00) Dark grey matt (model 27/4231.00) Rosé matt (model 27/7232.00)
Hands	Fine bar pointers
Glass	Convex sapphire crystal with anti-reflection coating on both sides
Strap	Lug 18 mm Domed leather strap with stainless steel buckle or PVD-coated Dark brown (model 27/4230.00) Rosé (model 27/4231.00) Eggplant (model 27/7232.00) Straps with Quick Release max. inner circumference: 18.5 cm
Weight	40 g



27/4231.00
Strap: Standard 420506951
XS 420506953
XL 420506952



27/7232.00
Strap: Standard 420506954
XS 420506956
XL 420506955



Meister Chronoscope
27/4224.02

User manual



Meister Chronoscope



27/4222.02 · *27/4222.03
Strap: Standard 420506927
XS 420506929
XL 420506928

Technology Self-winding movement calibre J880.1, power reserve of 48 hours (without chronoscope function), Basic calibre SW 500

Function Stop function, 30-minute and 12-hour counter, date, week day*, small second

Case Stainless steel or rosé gold coloured PVD-coated, 5-times screwed mineral crystal case back, Ø 40.7 mm, height 13.9 mm

Water-resistance Up to 5 bar

Dial Fir green with circular brush
Shuttle grey with circular brush, sub dials in anthracite matt
Silver plated
Anthracite with circular brush
Blue with circular brush

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
Ostrich leather strap with stainless steel buckle
Horse leather strap with stainless steel buckle or PVD-coated
Leather strap with stainless steel buckle
PVD-coated (model 27/7024.02)
Stainless steel bracelet with folding clasp
max. inner circumference leather strap: 19.5 cm
max. inner circumference metal bracelet: 19.5 cm

Weight Leather strap model: 74 g
Metal bracelet model: 137 g



27/4224.02 · *27/4224.03
Strap: Standard 420506933
XS 420506935
XL 420506934



27/4120.02 · *27/4120.03
Strap: Standard 420506034
XS 420506366
XL 420506335



27/7023.02 · *27/7023.03
Strap: Standard 420506296
XS 420506298
XL 420506297



27/4324.46 · *27/4324.47
Bracelet: 420506040



27/4526.02 · *27/4526.03
Strap: Standard 420506256
XS 420506295
XL 420506294



27/7024.02 · *27/7024.03
Strap: Standard 420506713
XS 420506715
XL 420506714



*Also available with English weekday display

Meister Worldtimer



27/3010.01
Strap: Standard 420506813
XS 420506815
XL 420506814

Technology Self-winding movement calibre J820.5, power reserve of 42 hours
Basic calibre SW330-2

Function 24 world time zones

Case Stainless steel or rosé gold coloured PVD-coated
Ø 40.4 mm, height 10.4 mm
5-times screwed mineral crystal case back

Water-resistance Up to 5 bar

Dial Blue with circular brush
Matt silver plated
Two city rings around the 24-hour disc

Hands With environmentally friendly luminous substance in white

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 21 mm
Leather strap with stainless steel buckle or PVD-coated
Stainless steel bracelet with folding clasp
max. inner circumference leather strap: 18.5 cm
max. inner circumference metal bracelet: 19.5 cm

Weight Leather strap model: 52 g
Metal bracelet model: 115 g



27/3011.45
Bracelet: 420506819



27/5012.01
Strap: Standard 420506816
XS 420506818
XL 420506817



Meister Agenda



27/4364.02 · *27/4364.03
 Strap: Standard 420506034
 XS 420506366
 XL 420506335

Technology Self-winding movement calibre J810.5, power reserve of 42 hours
 Basic calibre ETA 2892-2, layout Soprod 9075
 Function Date, week day, calendar week, power reserve display
 Case Stainless steel or rosé gold coloured PVD-coated,
 5-times screwed mineral crystal case back,
 Ø 40.4 mm, height 12.2 mm
 Water-resistance Up to 5 bar
 Dial Matt silver plated
 Hands With environmentally friendly luminous substance
 Glass Convex sapphire crystal with anti-reflection coating on both sides
 Strap Lug 21 mm
 Horse leather strap with stainless steel buckle or PVD-coated
 max. inner circumference: 19.0 cm
 Fitting metal bracelet: 420506183
 Weight 59 g

Meister Classic



27/4310.02
 Strap: Standard 420506039
 XS 420506361
 XL 420506360

Technology Self-winding movement calibre J820.4, power reserve of 42 hours
 Basic calibre ETA 2892-2 / SW300-1
 Function Date
 Case Stainless steel or rosé gold coloured PVD-coated,
 5-times screwed mineral crystal case back,
 Ø 38.4 mm, height 9.0 mm
 Water-resistance Up to 5 bar
 Dial Matt silver plated
 Hands With environmentally friendly luminous substance
 Glass Convex sapphire crystal with anti-reflection coating on both sides
 Strap Lug 20 mm
 Horse leather strap with stainless steel buckle or PVD-coated
 max. inner circumference: 18.6 cm
 Fitting metal bracelet: 420506041
 Weight 47 g



27/7066.02 · *27/7066.03
 Strap: Standard 420506296
 XS 420506298
 XL 420506297



27/7812.02
 Strap: Standard 420506289
 XS 420506293
 XL 420506292

User manual



*Also available with English weekday display

User manual



Meister MEGA



58/4803.44
Bracelet: 420506041

Technology Connected-RC movement J101.65
 – Connected with the Junghans MEGA App (Apple App Store and Google Play Store)
 – Adjustment of all time zones to the precise second
 – Perpetual calendar – also in quartz mode
 – Radio reception in Europe, UK, USA, Japan

Function Date

Case Stainless steel or rosé gold coloured PVD-coated, 5-times screwed stainless steel case back with metalised mineral crystal, with world map and reception indicator printed from inside, model 58/4803.44 with tinted mineral crystal case back
 Ø 38.4 mm, height 9.1 mm

Water-resistance Up to 5 bar

Dial Anthracite with sunray brush and printed world map
 Matt silver plated
 Blue with sunray brush

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
 Stainless steel bracelet with folding clasp
 Horse leather strap with stainless steel buckle or PVD-coated
 max. inner circumference leather strap model: 18.6 cm
 max. inner circumference metal bracelet model: 19.0 cm

Weight Leather strap model: 37 g
 Metal bracelet model: 99 g

Meister MEGA Kleine Sekunde



58/4901.02
Strap: Standard 420506665
 XS 420506667
 XL 420506666

Technology Connected-RC movement J101.66
 – Connected with the Junghans MEGA App (Apple App Store and Google Play Store)
 – Adjustment of all time zones to the precise second
 – Perpetual calendar – also in quartz mode
 – Radio reception in Europe, UK, USA, Japan

Function Small second, date

Case Stainless steel, 5-times screwed stainless steel case back with metalised mineral crystal, with world map and reception indicator printed from inside Ø 38.4 mm, height 9.1 mm

Water-resistance Up to 5 bar

Dial Midnight blue with sunray brush
 Matt silver plated

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
 Blue leather strap with stainless steel buckle
 Brown horse leather strap with stainless steel buckle
 max. inner circumference: 18.6 cm

Weight 37 g



58/7800.02
Strap: Standard 420506289
 XS 420506293
 XL 420506292



58/4801.02
Strap: Standard 420506259
 XS 420506274
 XL 420506273



Junghans MEGA App



58/4902.02
Strap: Standard 420506039
 XS 420506361
 XL 420506360



Junghans MEGA App



The Junghans MEGA convinces with its appearance and technical comfort:

- High accuracy
- Technical features in classic watch design
- The Connected RC movement is made in Schramberg, Germany
- Via the app, the provider time of the smart phone is transmitted worldwide

The following features make the Junghans MEGA a precise everyday companion:

- Even without radio reception only +/- 8 seconds time deviation per year
- Accurate to the second and easy time zone setting
- Thanks to the perpetual calendar, the Junghans MEGA always shows the exact date even without radio reception

User manual



The Junghans MEGA convinces with its appearance and technical comfort:

- High accuracy
- Technical features in classic watch design
- The Connected RC movement is made in Schramberg, Germany
- Via the app, the provider time of the smart phone is transmitted worldwide

The following features make the Junghans MEGA a precise everyday companion:

- Even without radio reception only +/- 8 seconds time deviation per year
- Accurate to the second and easy time zone setting
- Thanks to the perpetual calendar, the Junghans MEGA always shows the exact date even without radio reception

User manual



Meister Handaufzug



Technology Hand-winding movement calibre J815.1, power reserve of 42 hours
Basic calibre ETA 7001 Peseux

Function Small second

Case Stainless steel or rosé gold coloured PVD-coated, 5-times screwed mineral crystal case back, Ø 37.7 mm, height 7.3 mm

Water-resistance Up to 5 bar

Dial Blue with sunray brush
Matt silver plated

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Horse leather strap with stainless steel buckle or PVD-coated max. inner circumference: 19.2 cm

Weight 38 g

27/3504.02
Strap: Standard 420506259
XS 420506274
XL 420506273

Meister Automatic



Technology Self-winding movement calibre J800.1, power reserve of 38 hours
Basic calibre SW200

Function Date

Case Stainless steel or gold coloured PVD-coated, 5-times screwed mineral crystal case back Ø 38.4 mm, height 9.9 mm

Water-resistance Up to 5 bar

Dial Silver plated with sunray brush and transparent light green bamboo printing
Silver plated, dial printing with effect lacquer

Hands Dauphine-hands with diamond cut
Model 27/4243.46 with environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Stainless steel bracelet with folding clasp
Leather strap with stainless steel buckle PVD-coated max. inner circumference metal bracelet: 20.5 cm
max. inner circumference leather strap: 18.6 cm

Weight Metal bracelet model: 114 g
Leather strap model: 49 g

27/4243.46
Bracelet: Standard 420506041



27/3200.02
Strap: Standard 420506039
XS 420506361
XL 420506360



27/5002.02
Strap: Standard 420506289
XS 420506293
XL 420506292



27/7052.02
Strap: Standard 420506794
XS 420506796
XL 420506795

User manual



User manual



Meister Damen Automatic



27/3343.00
 Strap: Standard 420506942
 XS 420506944
 XL 420506943

Technology	Self-winding movement calibre J840.1, power reserve of 38 hours Basic calibre ETA 2671 / SW100
Function	Date (depending on model)
Case	Stainless steel or rosé gold coloured PVD-coated, 4-times screwed mineral crystal case back Ø 33.1 mm, height 9.8 mm
Water-resistance	Up to 5 bar
Dial	Green with sunray brush Matt silver plated with sunray brush and slightly rosé sunray with light rosé bamboo printing Matt silver plated
Hands	Dauphine-hands with diamond cut
Glass	Convex sapphire crystal with anti-reflection coating on both sides
Strap	Lug 17 mm Ostrich leather in macchiato-brown or light rosé with stainless steel buckle Aqualino strap with stainless steel buckle PVD-coated Straps with Quick Release max. inner circumference: 18.7 cm
Weight	35 g



27/3242.00
 Strap: Standard 420506945
 XS 420506947
 XL 420506946



27/7045.00
 Strap: Standard 420506728
 XS 420506730
 XL 420506729



FORM A
 27/4239.00

User manual



FORM A Titan



27/2002.00
Strap: Standard 420506842
XS 420506844
XL 420506843

Technology Self-winding movement calibre J800.2, power reserve of 38 hours
Basic calibre SW200-1

Function Date

Case Titanium matt
4-times screwed case back with tinted mineral crystal
Ø 40.0 mm, height 10.7 mm

Water-resistance Up to 10 bar

Dial Black matt
Matt silver plated
Anthracite matt
Embossed squares in the minute track

Hands With environmentally friendly luminous substance

Glass Flat sapphire crystal with anti-reflection coating on one side

Strap Lug 21 mm
Water buffalo leather strap with titanium buckle
Textile strap made from recycled PET material with titanium buckle
max. inner circumference leather strap: 19.0 cm
max. inner circumference textile strap: 19.0 cm

Weight Leather strap model: 48 g
Textile strap model: 48 g



27/2000.00
Strap: 420506838



27/2001.00
Strap: Standard 420506839
XS 420506841
XL 420506840

FORM A



27/4239.00
Strap: Standard 420506918
XS 420506920
XL 420506919

Technology Self-winding movement calibre J800.2, power reserve of 38 hours
Basic calibre SW200-1

Function Date

Case Stainless steel, 4-times screwed case back with tinted mineral crystal,
Model 27/4239.00 with motif printing „deer“
Ø 39.3 mm, height 9.5 mm

Water-resistance Up to 5 bar

Dial Dark blue matt
Matt silver plated
Embossed squares in the minute track (depending on model)

Hands With environmentally friendly luminous substance

Glass Flat sapphire crystal with anti-reflection coating on one side

Strap Lug 21 mm
Horse leather strap with black lining leather and affixed star pin,
stainless steel buckle (model 27/4239.00)
Leather strap, some models with coloured lining leather
max. inner circumference: 19.0 cm

Weight 53 g



27/4731.00
Strap: Standard 420506460
XS 420506462
XL 420506461



27/4730.00
Strap: Standard 420506457
XS 420506459
XL 420506458

User manual



User manual



FORM MEGA



58/4930.00
 Strap: Standard 420506457
 XS 420506459
 XL 420506458

Technology Connected-RC movement J101.65
 – Connected with the Junghans MEGA App (Apple App Store and Google Play Store)
 – Adjustment of all time zones to the precise second
 – Perpetual calendar – also in quartz mode
 – Radio reception in Europe, UK, USA, Japan

Function Date

Case Stainless steel, 4-times screwed stainless steel case back with metalised mineral crystal, with world map and reception indicator printed from inside,
 Ø 39.3 mm, height 8.7 mm

Water-resistance Up to 5 bar

Dial Matt silver plated
 Embossed squares in the minute track

Hands With environmentally friendly luminous substance

Glass Flat sapphire crystal with anti-reflection coating on one side

Strap Lug 21 mm
 Leather strap, some models with coloured lining leather
 max. inner circumference: 18.7 cm

Weight 55 g

FORM C



41/4877.44
 Bracelet: 420506180

Technology Quartz movement J645.85
 Basic calibre Ronda 3520.D swiss made

Function Stop function, 30-minute- and 12-hour counter, small second, date

Case Stainless steel, 4-times screwed case back,
 Ø 40.0 mm, height 10.0 mm

Water-resistance Up to 5 bar

Dial Anthracite matt
 Matt silver plated
 Embossed squares in the minute track

Hands With environmentally friendly luminous substance

Glass Flat sapphire crystal with anti-reflection coating on one side

Strap Lug 21 mm
 Milanase bracelet with safety buckle
 Leather strap, some models with coloured lining leather and stainless steel buckle
 max. inner circumference leather strap: 19.6 cm
 max. inner circumference milanase bracelet: 20.2 cm

Weight Leather strap model: 58 g
 Milanase bracelet model: 82 g



58/4931.00
 Strap: Standard 420506460
 XS 420506462
 XL 420506461



Junghans MEGA App



41/4876.00
 Strap: Standard 420506611
 XS 420506613
 XL 420506612



41/4770.00
 Strap: Standard 420506457
 XS 420506459
 XL 420506458



41/4771.00
 Strap: Standard 420506460
 XS 420506462
 XL 420506461

The Junghans MEGA convinces with its appearance and technical comfort:

- High accuracy
- Technical features in classic watch design
- The Connected RC movement is made in Schramberg, Germany
- Via the app, the provider time of the smart phone is transmitted worldwide

The following features make the Junghans MEGA a precise everyday companion:

- Even without radio reception only +/- 8 seconds time deviation per year
- Accurate to the second and easy time zone setting
- Thanks to the perpetual calendar, the Junghans MEGA always shows the exact date even without radio reception

User manual



User manual



FORM Quarz



41/4885.00
 Strap: Standard 420506614
 XS 420506616
 XL 420506615

Technology Quartz movement J645.37
 Basic calibre Ronda 6003.D swiss made
 Function Date
 Case Stainless steel, 4-times screwed case back
 Ø 39.3 mm, height 7.0 mm
 Water-resistance Up to 5 bar
 Dial Matt silver plated
 Embossed squares in the minute track
 Hands With environmentally friendly luminous substance
 Glass Flat sapphire crystal with anti-reflection coating on one side
 Strap Lug 21 mm
 Leather strap, some models with coloured lining leather and stainless steel buckle
 max. inner circumference: 19.0 cm
 Weight 43 g



41/4884.00
 Strap: Standard 420506611
 XS 420506613
 XL 420506612

FORM Damen



47/4256.00
 Strap: Standard 420506924
 XS 420506926
 XL 420506925

Technology Quartz movement J645.36
 Basic calibre Ronda 705 swiss made
 Function Date
 Case Stainless steel or black PVD-coated, screwed case back, model 47/4256.00 and 47/4255.00 with motif printing „deer“
 Ø 34.1 mm, height 7.0 mm
 Water-resistance Up to 5 bar
 Dial Matt black
 Matt dark blue
 Matt silver plated
 High or deep embossed hour indices (depending on model)
 Hands With environmentally friendly luminous substance
 Glass Flat sapphire crystal with anti-reflection coating on one side
 Strap Lug 17 mm
 Vegan microfiber strap with stainless steel buckle PVD-coated (model 47/4256.00)
 Horse leather strap with stainless steel buckle (model 47/4255.00)
 Leather strap with stainless steel buckle
 Milanaisé bracelet with safety buckle
 Straps with Quick Release
 max. inner circumference leather strap: 18.5 cm
 max. inner circumference milanaisé bracelet: 19.3 cm
 Weight Leather strap model: 31 g
 Milanaisé bracelet model: 54 g



47/4255.00
 Strap: Standard 420506921
 XS 420506923
 XL 420506922



47/4055.00
 Strap: Standard 420506582
 XS 420506584
 XL 420506583



47/4860.00
 Strap: Standard 420506111
 XS 420506383
 XL 420506382



47/4851.44
 Bracelet: 420506578



47/4853.00
 Strap: Standard 420506585
 XS 420506587
 XL 420506586



Replacement straps with Quick Release
 Light green: 420506591
 Beige: 420506111
 Blackberry: 420506551

User manual



User manual





max bill Chronoscope Bauhaus
27/4303.02

max bill Chronoscope Bauhaus



Technology	Self-winding movement calibre J880.2, Power reserve of 48 hours (without chronoscope function) Basic calibre SW 500
Function	Stop function, 30-minute- and 12-hour counter, date
Case	Stainless steel matt, 5-times screwed mineral crystal case back with partial transparent Bauhaus motif Ø 40.0 mm, height 14.4 mm
Water-resistance	Up to 5 bar
Dial	Matt white Luminous dots with environmentally friendly luminous substance
Hands	With environmentally friendly luminous substance in red
Glass	Convex sapphire crystal with anti-reflection coating on both sides
Strap	Lug 20 mm Leather strap with stainless steel buckle max. inner circumference: 18.7 cm
Weight	72 g

27/4303.02
Strap: Standard 420506742
XS 420506744
XL 420506743



User manual



max bill Automatic Bauhaus



Technology	Self-winding movement calibre J800.1, power reserve of 38 hours Basic calibre SW200-1
Function	Date
Case	Stainless steel matt, 4-times screwed mineral crystal case back with partial transparent Bauhaus motif Ø 38.0 mm, height 10.0 mm
Water-resistance	Up to 5 bar
Dial	Matt white Luminous dots with environmentally friendly luminous substance
Hands	With environmentally friendly luminous substance in red
Glass	Convex sapphire crystal with anti-reflection coating on both sides
Strap	Lug 20 mm Leather strap with stainless steel buckle max. inner circumference: 18.5 cm
Weight	48 g

27/4009.02
Strap: Standard 420506742
XS 420506744
XL 420506743



User manual



max bill Handaufzug



Technology Hand-winding movement calibre J805.1, power reserve of 42 hours
Basic calibre SW210

Case Stainless steel or gold coloured PVD-coated, 4-times screwed case back
Ø 34.0 mm, height 9.0 mm

Water-resistance Up to 5 bar

Dial Matt silver plated
Polished black
Dial printing or minute track with environmentally friendly luminous substance (depending on model)

Hands With environmentally friendly luminous substance (depending on model)

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 18 mm
Leather strap with stainless steel buckle or PVD-coated
Milanaise bracelet with safety buckle
max. inner circumference leather strap: 18.5 cm
max. inner circumference metal bracelet: 18.6 cm

Weight Leather strap model: 38 g
Metal bracelet model: 63 g

27/3701.02
Strap: Standard 420504399
XS 420506409
XL 420506408



27/3702.02
Strap: Standard 420504398
XS 420506407
XL 420506406



27/3700.02
Strap: Standard 420504398
XS 420506407
XL 420506406



27/3004.46
Bracelet: 420504993



27/5703.02
Strap: Standard 420504401
XS 420506411
XL 420506410

max bill Automatic



Technology Self-winding movement calibre J800.1, power reserve of 38 hours
Basic calibre SW200-1

Function Date (depending on model)

Case Stainless steel, model 27/7806.02 sand gold coloured,
model 27/7002.02 gold coloured PVD-coated, 4-times screwed
case back
Ø 38.0 mm, height 10.0 mm

Water-resistance Up to 5 bar

Dial Soft grey
Matt silver plated
Polished black
Dial printing with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Leather strap with stainless steel buckle or PVD-coated
Milanaise bracelet with safety buckle
max. inner circumference leather strap: 18.5 cm
max. inner circumference metal bracelet: 19.5 cm

Weight Leather strap model: 48 g
Metal bracelet model: 77 g

27/7806.02
Strap: Standard 420506569
XS 420506571
XL 420506570



27/4700.02
Strap: Standard 420504850
XS 420506349
XL 420506348



27/4002.46
Bracelet: 420504994



27/4701.02
Strap: Standard 420504850
XS 420506349
XL 420506348



27/7002.02
Strap: Standard 420504913
XS 420506470
XL 420506469



27/3500.02
Strap: Standard 420504850
XS 420506349
XL 420506348



27/3501.02
Strap: Standard 420504850
XS 420506349
XL 420506348



27/3400.02
Strap: Standard 420504850
XS 420506349
XL 420506348



27/3502.02
Strap: Standard 420506233
XS 420506472
XL 420506471

User manual



User manual



max bill MEGA Solar



59/2022.46
Bracelet: 420506697
reddit winner 2021
best of the best

Technology Connected RC solar movement J101.85
– Highly efficient energy management
– Connected with the Junghans MEGA App (Apple App Store and Google Play Store)
– Adjustment of all time zones to the precise second
– Dark power reserve up to 3 years
– Perpetual calendar – also in quartz mode
– Radio reception in Europe, UK, USA, Japan

Function Date

Case Titanium, matt or polished, 4-times screwed case back with mineral crystal, world map printing from inside
Ø 38.0 mm, height 9.0 mm

Water-resistance Up to 5 bar

Dial Soft grey
Matt white
Luminous dots with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Leather strap vegetable tanned with rhubarb and microfiber lining, titanium buckle
Titanium-milanaise bracelet with safety buckle
max. inner circumference leather strap: 18.5 cm
max. inner circumference titanium bracelet: 20.0 cm

Weight Leather strap model: 28 g
Titanium bracelet model: 43 g



59/2021.02
Strap: Standard 420506807
XS 420506851
XL 420506850



59/2020.02
Strap: Standard 420506806
XS 420506849
XL 420506848



59/2023.02
Strap: Standard 420506808
XS 420506853
XL 420506852



- The max bill MEGA Solar convinces with appearance and technical comfort
- High accuracy and energy efficiency
- Sustainable due to very long battery life (up to 15 years)
- Technical features in classic watch design
- The Connected RC solar movement is made in Schramberg, Germany
- Via the app, the provider time of the smart phone is transmitted worldwide
- The following features make the Junghans MEGA Solar a precise everyday companion:
 - Even without radio reception only +/- 8 seconds time deviation per year
 - Accurate to the second and easy time zone setting
 - Thanks to the perpetual calendar, the Junghans MEGA Solar always shows the exact date even without radio reception
 - Energy efficiency – after 3 days of darkness (e.g. drawer) the watch goes into energy saving mode

max bill MEGA Solar



59/4325.02
Strap: Standard 420506991
XS 420506993
XL 420506992

Technology Connected RC solar movement J101.85
– Highly efficient energy management
– Connected with the Junghans MEGA App (Apple App Store and Google Play Store)
– Adjustment of all time zones to the precise second
– Dark power reserve up to 3 years
– Perpetual calendar – also in quartz mode
– Radio reception in Europe, UK, USA, Japan

Function Date

Case Stainless steel or sand gold coloured PVD-coated, 4-times screwed case back with mineral crystal, sun motif printing from inside
Ø 38.0 mm, height 9.0 mm

Water-resistance Up to 5 bar

Dial Matt white
Soft grey
Luminous dots with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Vegan apple fiber strap with microfiber lining and stainless steel buckle (model 59/4325.02)
Leather strap with stainless steel buckle PVD-coated (model 59/7324.02)
Straps with Quick Release
max. inner circumference: 18.5 cm

Weight 31 g



59/7324.02
Strap: Standard 420506994
XS 420506996
XL 420506995



Back



- The max bill MEGA Solar convinces with appearance and technical comfort
- High accuracy and energy efficiency
- Sustainable due to very long battery life (up to 15 years)
- Technical features in classic watch design
- The Connected RC solar movement is made in Schramberg, Germany
- Via the app, the provider time of the smart phone is transmitted worldwide
- The following features make the Junghans MEGA Solar a precise everyday companion:
 - Even without radio reception only +/- 8 seconds time deviation per year
 - Accurate to the second and easy time zone setting
 - Thanks to the perpetual calendar, the Junghans MEGA Solar always shows the exact date even without radio reception
 - Energy efficiency – after 3 days of darkness (e.g. drawer) the watch goes into energy saving mode

max bill Edition 60



max bill Automatic Edition 60
27/4108.02
Strap: Standard 420506877
XS 420506879
XL 420506878



max bill MEGA
Kleine Sekunde Edition 60
58/4100.02
Strap: Standard 420506877
XS 420506879
XL 420506878



max bill Regulator Edition 60
27/3190.02
Strap: Standard 420506877
XS 420506879
XL 420506878

Technology 27/4108.02: Self-winding movement calibre J800.1, power reserve of 38 hours
58/4100.02: Connected-RC movement J101.66
27/3190.02: Self-winding movement calibre J800.5, power reserve of 38 hours

Function 27/4108.02: Date
58/4100.02: Smart time setting (App-Connected), time zone setting to the second via crown, date display with perpetual calendar (also in quartz mode)
27/3190.02: Small hour and second, central minute display

Case Stainless steel polished, anthracite PVD-coated,
27/4108.02: 4-times screwed case back with edition engraving
Ø 38.0 mm, height 10.0 mm
58/4100.02: 4-times screwed case back with mineral crystal, edition printing from inside
Ø 38.0 mm, height 9.0 mm
27/3190.02: 4-times screwed case back with edition engraving
Ø 38.0 mm, height 10.5 mm

Water-resistance Up to 3 bar

Dial Matt white
Edition design “60 years of Max Bill on the wrist” via a „60“ integrated in the minute track with green environmentally friendly luminous substance

Hands Anthracite
Hour- and minute hands with environmentally friendly luminous substance in orange

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Leather strap in light grey with black edges and orange lining leather
Stainless steel buckle PVD-coated
max. inner circumference: 19.5 cm

Weight 27/4108.02: 51 g
58/4100.02: 38 g
27/3190.02: 50 g

Limited to 1,060 watches each

User manual



max bill Kleine Automatic



27/4105.02
Strap: Standard 420504398
XS 420506407
XL 420506406

Technology Self-winding movement calibre J800.1, power reserve of 38 hours
Basic calibre SW200-1

Function Date

Case Stainless steel or sand gold coloured PVD-coated,
Ø 34.0 mm, height 10.0 mm

Water-resistance Up to 5 bar

Dial Matt silver plated
Matt white
Soft grey
Luminous dots with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 18 mm
Leather strap with stainless steel buckle or PVD-coated
Textile strap made from recycled PET material with buckle
PVD-coated
max. inner circumference leather strap model: 18.5 cm
max. inner circumference textile strap model: 18.5 cm
max. inner circumference metal bracelet model: 18.5 cm

Weight Leather strap model: 40 g
Textile strap model: 39 g
Metal bracelet model: 71 g



27/4106.46
Bracelet: Standard 420504993



27/7006.02
Strap: 420506830



27/4107.02
Strap: Standard 420504399
XS 420506409
XL 420506408



27/7108.02
Strap: Standard 420506845
XS 420506847
XL 420506846

User manual



max bill Chronoscope



27/4003.46
Bracelet: 420504994

Technology Self-winding movement calibre J880.2,
Power reserve of 48 hours (without chronoscope function)
Basic calibre SW 500

Function Stop function, 30-minute- and 12-hour counter, date,
some models with week day display

Case Stainless steel or gold or anthracite coloured PVD-coated,
5-times screwed case back
Ø 40.0 mm, height 14.4 mm

Water-resistance Up to 5 bar

Dial Matt silver plated
Matt black
Matt white
Polished anthracite
Dial printing or minute track with environmentally friendly luminous

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Milanaise bracelet with safety buckle
Leather strap with stainless steel buckle or PVD-coated
max. inner circumference leather strap: 18.0 cm
max. inner circumference metal bracelet: 18.9 cm

Weight Leather strap model: 73 g
Metal bracelet model: 104 g

max bill Quarz



41/4461.02
Strap: Standard 420506234
XS 420506346
XL 420506344

Technology Quartz movement J645.33
Basic calibre ETA 955.112 swiss made

Function Date

Case Stainless steel or gold coloured PVD-coated,
4-times screwed case back
Ø 38.0 mm, height 7.9 mm

Water-resistance Up to 5 bar

Dial Matt silver plated
Matt white
Black with sunray brush
Minute track with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 20 mm
Leather strap with stainless steel buckle or PVD-coated
Milanaise bracelet with safety buckle
max. inner circumference leather strap: 18.5 cm
max. inner circumference metal bracelet: 19.5 cm

Weight Leather strap model: 42 g
Metal bracelet model: 71 g



27/4600.02
Strap: Standard 420504850
XS 420506349
XL 420506348



27/4601.02
Strap: Standard 420504850
XS 420506349
XL 420506348



27/4502.02
Strap: Standard 420506233
XS 420506472
XL 420506471



27/7800.02
Strap: Standard 420504913
XS 420506470
XL 420506469



41/4562.02
Strap: Standard 420506233
XS 420506472
XL 420506471



41/7872.02
Strap: Standard 420506575
XS 420506577
XL 420506576



27/4008.02 · *27/4008.03
Strap: Standard 420506734
XS 420506736
XL 420506735



27/4501.02 · *27/4501.03
Strap: Standard 420506233
XS 420506472
XL 420506471

User manual



41/4463.46
Bracelet: 420504994



41/4465.02
Strap: Standard 420504850
XS 420506349
XL 420506348



41/4817.02
Strap: Standard 420504850
XS 420506349
XL 420506348

User manual



*Also available with English weekday display

max bill Damen



47/7055.02
Strap: Standard 420506834

Technology Quartz movement J643.29
Basic calibre ETA 955.412 swiss made

Function Date

Case Stainless steel or soft gold coloured PVD-coated,
4-times screwed case back
Ø 32.7 mm, height 6.9 mm

Water-resistance Up to 5 bar

Dial Matt white
Soft grey
Matt silver plated
Polished white
Minute track with environmentally friendly luminous substance

Hands With environmentally friendly luminous substance

Glass Convex sapphire crystal with anti-reflection coating on both sides

Strap Lug 17 mm
Leather strap with stainless steel buckle or PVD-coated,
Textile strap made from recycled PET material with stainless steel buckle PVD-coated
Leather straps with Quick Release
max. inner circumference leather strap: 18.2 cm
max. inner circumference textile strap: 18.2 cm

Weight Leather strap model: 28 g
Textile strap model: 29 g



47/7854.02
Strap: Standard 420506560
XS 420506562
XL 420506561



47/7853.02
Strap: Standard 420506560
XS 420506562
XL 420506561



47/4251.02
Strap: Standard 420506110
XS 420506381
XL 420506380



47/4541.02
Strap: Standard 420506253
XS 420506279
XL 420506280



47/4252.02
Strap: Standard 420506111
XS 420506383
XL 420506382



47/4540.02
Strap: Standard 420506252
XS 420506277
XL 420506278

User manual



max bill Tischuhr (table clock)



RC 383/2200.00
Quartz 363/2210.00

Technology RC movement J780 (EU)
Quartz movement J738

Case Wood
White silk matt
Walnut dark
Piano lacquer polished
Dimensions: 164 x 174 mm,
Depth: 55 mm,
Depth including feet: 75 mm

Dial Matt white
Polished hands

Glass Mineral crystal

Weight 765 g (without battery)



RC 383/2201.00
Quartz 363/2211.00



RC 383/2202.00
Quartz 363/2212.00

User manual



max bill Wanduhr



∅ 30 cm
 RC 374/7000.00
 Quartz 367/6046.00

Technology	RC movement J780 (EU) Quartz movement J738
Case	Aluminum satin and diamond plated ∅ 30 cm: depth 4,8 cm ∅ 22 cm: depth 4,5 cm
Dial	Matt white Polished hands
Glass	Mineral crystal
Weight	∅ 30 cm: 705 g (without battery) ∅ 22 cm: 432 g (without battery)



∅ 22 cm
 RC 374/7002.00
 Quartz 367/6049.00



∅ 30 cm
 RC 374/7001.00
 Quartz 367/6047.00



∅ 22 cm
 RC 374/7003.00
 Quartz 367/6048.00



Force Mega Solar
 18/1002.00

User manual



Force Mega Solar



18/1436.44
Bracelet: 420506239

Technology Multi-frequency RC solar movement J615.84
 Function Perpetual calendar, big date, dark power reserve up to 21 month
 Sleep mode after 72 hours, automatic radio reception in Europe, USA, Japan, App-connected
 Case Ceramic, polished or matt, Case back ceramic
 Ø 40.4 mm, height 8.2 mm
 Water-resistance Up to 5 bar
 Dial Glass solar cell, some models with appliques, dial printing with environmentally friendly luminous substance
 Hands With environmentally friendly luminous substance
 Glass Flat sapphire crystal with anti-reflection coating on one side
 Strap Lug: Special lug
 Ceramic bracelet with titanium folding clasp
 Synthetic rubber strap with titanium buckle PVD-coated
 max. inner circumference rubber strap: 20.5 cm
 max. inner circumference ceramic bracelet: 19.5 cm
 Weight Rubber strap model: 50 g
 Ceramic bracelet model: 86 g



8/1133.44
Bracelet: 420506031



18/1938.44
Bracelet: 420506239



18/1000.00
Strap: 420506826



18/1002.00
Strap: 420506827



Junghans MEGA App



User manual



Spektrum Mega Solar



18/1425.44
Bracelet: 420506287

Technology Multi-frequency RC solar movement J615.84
 Function Perpetual calendar, big date, dark power reserve up to 21 month
 Sleep mode after 72 hours, automatic radio reception in Europe, USA, Japan, App-connected
 Case Stainless steel and matt ceramic or stainless steel and polished ceramic,
 metalised mineral crystal case back
 Ø 41.6 mm, height 9.6 mm
 Water-resistance Up to 10 bar
 Dial Glass solar cell, dial markings or minute track with environmentally friendly luminous substance,
 Model 18/1120.44 with appliques
 Hands With environmentally friendly luminous substance
 Glass Flat sapphire crystal with anti-reflection coating on one side
 Strap Lug: Special lug
 Stainless steel bracelet with ceramic middle link, stainless steel folding clasp
 max. inner circumference: 20.3 cm
 Weight 137 g



18/1120.44
Bracelet: 420506286



Junghans MEGA App



User manual



Milano Mega Solar



56/4628.44
 Milanaise bracelet: 420506180
 Leather strap: Standard 420506181
 XS 420506404
 XL 420506403



56/4220.00
 Leather strap: Standard 420506181
 XS 420506404
 XL 420506403
 Milanaise bracelet: 420506180

Technology Multi-frequency RC solar movement J615.84
 Function Perpetual calendar, big date, dark power reserve up to 21 month
 Sleep mode after 72 hours, automatic radio reception in Europe, USA,
 Japan, App-connected
 Case Stainless steel, metalised mineral crystal case back
 Ø 39.2 mm, height 8.4 mm
 Water-resistance Up to 5 bar
 Dial Glass solar cell with appliqués
 Minute track partly with environmentally friendly luminous substance
 Hands With environmentally friendly luminous substance
 Glass Flat sapphire crystal with anti-reflection coating on one side
 Strap Lug 21 mm
 Leather strap with stainless steel buckle
 Milanaise bracelet with safety buckle
 Scope of delivery with the straps shown in the pictures.
 max. inner circumference leather strap: 19.0 cm
 max. inner circumference metal bracelet: 19.9 cm
 Weight Leather strap model: 37 g
 Metal bracelet model: 70 g



User manual



Milano Solar



14/4061.44
 Bracelet: 420506001

Technology Solar quartz movement J622.10
 Function Dark power reserve up to 4 month, date
 Case Stainless steel
 Ø 37.0 mm, height 7.5 mm
 Water-resistance Up to 5 bar
 Dial Glass solar cell with appliqués,
 Minute track with environmentally friendly luminous substance
 Hands With environmentally friendly luminous substance
 Glass Flat sapphire crystal with anti-reflection coating on one side
 Strap Lug 20 mm
 Milanaise bracelet with safety buckle
 Leather strap with stainless steel buckle
 max. inner circumference leather strap: 19.5 cm
 max. inner circumference metal bracelet: 19.5 cm
 Weight Leather strap model: 39 g
 Metal bracelet model: 74 g



14/4062.00
 Strap: Standard 420506000
 XS 420506544
 XL 420506543



User manual



